

Material Safety Data Sheet

Cyclohexylamine MSDS

Section 1: Chemical Product and Company Identification

Product Name: Cyclohexylamine

Catalog Codes: SLC3241

CAS#: 108-91-8

RTECS: GX0700000

TSCA: TSCA 8(b) inventory: Cyclohexylamine

CI#: Not available.

Synonym:

Chemical Formula: C₆H₁₃N

Contact Information:

Sciencelab.com, Inc.

14025 Smith Rd.

Houston, Texas 77396

US Sales: **1-800-901-7247**

International Sales: **1-281-441-4400**

Order Online: ScienceLab.com

CHEMTREC (24HR Emergency Telephone), call:

1-800-424-9300

International CHEMTREC, call: 1-703-527-3887

For non-emergency assistance, call: 1-281-441-4400

Section 2: Composition and Information on Ingredients

Composition:

Name CAS # % by Weight

Cyclohexylamine 108-91-8 100

Toxicological Data on Ingredients: Cyclohexylamine: ORAL (LD50): Acute: 156 mg/kg [Rat].

224 mg/kg [Mouse]. DERMAL

(LD50): Acute: 276 mg/kg [Rabbit].

Section 3: Hazards Identification

Potential Acute Health Effects:

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation. Hazardous in case of skin contact (permeator). Corrosive to skin and eyes on contact. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Severe overexposure can result in death. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

Potential Chronic Health Effects:

CARCINOGENIC EFFECTS: A4 (Not classifiable for human or animal.) by ACGIH. MUTAGENIC EFFECTS: Not available.

TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. The substance is toxic to the nervous system, upper respiratory tract. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation.

Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial

infection. Repeated exposure to an highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.

Section 4: First Aid Measures

Eye Contact:

Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek medical attention.

Skin Contact:

If the chemical got onto the clothed portion of the body, remove the contaminated clothes as quickly as possible, protecting your own hands and body. Place the victim under a deluge shower. If the chemical got on the victim's exposed skin, such as the hands : Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cold water may be used. If irritation persists, seek medical attention. Wash contaminated clothing before reusing.

Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical attention.

Inhalation: Allow the victim to rest in a well ventilated area. Seek immediate medical attention.

Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. WARNING: It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic, infectious or corrosive. Seek immediate medical attention.

Ingestion:

Do not induce vomiting. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indication that the toxic material was ingested; the absence of such signs, however, is not conclusive. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.

Serious Ingestion: Not available.

Section 5: Fire and Explosion Data

Flammability of the Product: Flammable.

Auto-Ignition Temperature: 293 °C (559.4 °F)

Flash Points: CLOSED CUP: 31 °C (87.8 °F). OPEN CUP: 32 °C (89.6 °F) (Cleveland).

Flammable Limits: Not available.

Products of Combustion: These products are carbon oxides (CO, CO₂).

Fire Hazards in Presence of Various Substances: Flammable in presence of open flames and sparks, of oxidizing materials.

Explosion Hazards in Presence of Various Substances:

Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions:

Flammable liquid, soluble or dispersed in water. SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use alcohol foam,

water spray or fog. Cool containing vessels with water jet in order to prevent pressure build-up, autoignition or explosion.

Special Remarks on Fire Hazards: Not available.

Special Remarks on Explosion Hazards: Not available.

p. 3

Section 6: Accidental Release Measures

Small Spill:

Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If

necessary: Neutralize the residue with a dilute solution of acetic acid.

Large Spill:

Flammable liquid. Corrosive liquid. Keep away from heat. Keep away from sources of ignition.

Stop leak if without risk. Absorb

with DRY earth, sand or other non-combustible material. Do not get water inside container. Do not touch spilled material. Use

water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all

ignition sources. Call for assistance on disposal. Neutralize the residue with a dilute solution of acetic acid. Be careful that the

product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

Section 7: Handling and Storage

Precautions:

Keep locked up Keep container dry. Keep away from heat. Keep away from sources of ignition.

Ground all equipment

containing material. Do not ingest. Do not breathe gas/fumes/ vapour/spray. Never add water to this product In case of

insufficient ventilation, wear suitable respiratory equipment If ingested, seek medical advice immediately and show the

container or the label. Avoid contact with skin and eyes

Storage:

Flammable materials should be stored in a separate safety storage cabinet or room. Keep away from heat. Keep away from

sources of ignition. Keep container tightly closed. Keep in a cool, well-ventilated place. Ground all equipment containing

material. A refrigerated room would be preferable for materials with a flash point lower than 37.8°C (100°F).

Section 8: Exposure Controls/Personal Protection

Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection:

Face shield. Full suit. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid

inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits:

TWA: 10 (ppm) TWA: 40 (mg/m³) Consult local authorities for acceptable exposure limits.

Section 9: Physical and Chemical Properties

Physical state and appearance: Liquid.

Odor: Fish. Amine like.

Taste: Not available.

Molecular Weight: 99.17 g/mole

Color: Colorless to light yellow.

pH (1% soln/water): 11 [Basic.]

Boiling Point: 134.5°C (274.1°F)

p. 4

Melting Point: -17.7°C (0.1°F)

Critical Temperature: Not available.

Specific Gravity: 0.8647 (Water = 1)

Vapor Pressure: 10.7 mm of Hg (@ 20°C)

Vapor Density: 3.42 (Air = 1)

Volatility: Not available.

Odor Threshold: 26 ppm

Water/Oil Dist. Coeff.: The product is more soluble in oil; log(oil/water) = 1.5

Ionicity (in Water): Not available.

Dispersion Properties: See solubility in water.

Solubility: Easily soluble in cold water.

Section 10: Stability and Reactivity Data

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Not available.

Incompatibility with various substances: Not available.

Corrosivity: Non-corrosive in presence of glass.

Special Remarks on Reactivity: Not available.

Special Remarks on Corrosivity: Not available.

Polymerization: No.

Section 11: Toxicological Information

Routes of Entry: Dermal contact. Eye contact. Inhalation. Ingestion.

Toxicity to Animals:

Acute oral toxicity (LD50): 156 mg/kg [Rat]. Acute dermal toxicity (LD50): 276 mg/kg [Rabbit].

Chronic Effects on Humans:

CARCINOGENIC EFFECTS: A4 (Not classifiable for human or animal.) by ACGIH. The substance is toxic to the nervous system, upper respiratory tract.

Other Toxic Effects on Humans:

Very hazardous in case of skin contact (irritant), of ingestion, of inhalation. Hazardous in case of skin contact (permeator).

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Not available.

Special Remarks on other Toxic Effects on Humans: Not available.

Section 12: Ecological Information

Ecotoxicity: Not available.

BOD5 and COD: Not available.

p. 5

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The products of degradation are more toxic.

Special Remarks on the Products of Biodegradation: Not available.

Section 13: Disposal Considerations

Waste Disposal:

Section 14: Transport Information

DOT Classification: CLASS 8: Corrosive liquid.

Identification: : Corrosive liquids n.o.s. : UN2357 PG: II

Special Provisions for Transport: Not available.

Section 15: Other Regulatory Information

Federal and State Regulations:

Pennsylvania RTK: Cyclohexylamine Florida: Cyclohexylamine Minnesota: Cyclohexylamine

Massachusetts RTK:

Cyclohexylamine New Jersey: Cyclohexylamine TSCA 8(b) inventory: Cyclohexylamine SARA 302/304/311/312 extremely

hazardous substances: Cyclohexylamine CERCLA: Hazardous substances.: Cyclohexylamine

Other Regulations: OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

Other Classifications:

WHMIS (Canada):

CLASS B-2: Flammable liquid with a flash point lower than 37.8°C (100°F). CLASS D-1B:

Material causing immediate and serious toxic effects (TOXIC). CLASS E: Corrosive liquid.

DSCL (EEC):

R10- Flammable. R38- Irritating to skin. R41- Risk of serious damage to eyes.

HMIS (U.S.A.):

Health Hazard: 3

Fire Hazard: 3

Reactivity: 0

Personal Protection:

National Fire Protection Association (U.S.A.):

Health: 3

Flammability: 3

Reactivity: 0

Specific hazard:

Protective Equipment:

Gloves. Full suit. Vapor respirator. Be sure to use an approved/certified respirator or equivalent.

Wear appropriate respirator

when ventilation is inadequate. Face shield.

Section 16: Other Information

p. 6

References: Not available.

Other Special Considerations: Not available.

Created: 10/09/2005 05:03 PM

Last Updated: 11/01/2010 12:00 PM

The information above is believed to be accurate and represents the best information currently available to us. However, we

make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume

no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for

their particular purposes. In no event shall ScienceLab.com be liable for any claims, losses, or damages of any third party or for


lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if ScienceLab.com

has been advised of the possibility of such damages.

CYCLOHEXYLAMINE

PRODUCT IDENTIFICATION

CAS NO.	108-91-8; 143247-75-0; 157973-60-9
EINECS NO.	203-629-0
FORMULA	C ₆ H ₁₁ NH ₂
MOL WT.	99.18
H.S. CODE	2921.30.5000
TOXICITY	Oral rat LD50; 7500 mg/kg
SYNONYMS	Cyclohexanamine; Aminocyclohexane; CHA; Cyclohexylamine; Hexahydrobenzenamine; Aminohexahydrobenzene; Hexahydroaniline; 1-Aminocyclohexane; 1-Cyclohexylamine;
SMILES	C1(CCCCC1)N
CLASSIFICATION	Amine, Agricultural Chemical, Insecticide
EXTRA NOTE	TWA (10 ppm); Not classifiable as a human carcinogen Threshold Planning Quantity (TPQ) = 10000 lb



PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Clear to yellow liquid with fishy odor
MELTING POINT	-17.5 C
BOILING POINT	134.5 C
SPECIFIC GRAVITY	0.865
SOLUBILITY IN WATER	miscible (1.00E+06 mg/l at 20 C)
pH	10.5
VAPOR DENSITY	3.42
log Pow	1.49 (Octanol-water)
VAPOR PRESSURE	10.1 (mmHg at 25 C)
HENRY'S LAW	4.16E-06 (atm-m ³ /mole at 25 C)
OH RATE	5.54E-11 (cm ³ /molecule-sec at 25 C Atmospheric)
AUTOIGNITION	560 C
NFPA RATINGS	Health: 3; Flammability: 3; Reactivity: 0
REFRACTIVE INDEX	1.4565
FLASH POINT	28.5 C
STABILITY	Stable under ordinary conditions

SALES SPECIFICATION

APPEARANCE	Clear to yellow liquid
ASSAY (GC)	99.5% min
COLOR	20 max (Pt/Co Scale)
WATER	0.2% max

TRANSPORTATION

PACKING	170kgs in drum
HAZARD CLASS	8, 3.3 (Packing group: II)
UN NO.	2357

GENERAL DESCRIPTION OF AMINE