

Safety data for diethylenetriamine

[Glossary](#) of terms on this data sheet.

The information on this web page is provided to help you to work safely, but it is intended to be an overview of hazards, not a replacement for a full Material Safety Data Sheet (MSDS). MSDS forms can be downloaded from the web sites of many chemical suppliers.

General

Synonyms: aminoethylethandiamine, 3-azapentane-1,5-diamine, bis(2-aminoethyl)amine, bis(beta-aminoethyl)amine, 2,2'-diaminodiethylamine, 2,2'-iminobisethylamine, 1,4,7-triazaheptane
Use:

Molecular formula: $C_4H_{13}N_3$

CAS No: 111-40-0

EINECS No: 203-865-4

Annex I Index No: 612-058-00-X

Physical data

Appearance: colourless liquid

Melting point: -35 C

Boiling point: 200 - 205 C

Vapour density: 3.6 g/l

Vapour pressure:

Density ($g\ cm^{-3}$): 0.95

Flash point: 102 C (closed cup)

Explosion limits: 2 - 6.7%

Autoignition temperature: 358 C

Water solubility:

Stability

Stable, but absorbs carbon dioxide from the air. Incompatible with strong oxidizing agents, copper and its alloys.

Toxicology

Harmful if swallowed and in contact with the skin. Causes burns. very destructive of mucous membranes. May act as a sensitizer. Typical OEL 1 ppm.

Toxicity data

(The meaning of any toxicological abbreviations which appear in this section is given [here.](#))

ORL-RAT LD50 1080 mg kg⁻¹

IPR-RAT LD50 74 mg kg⁻¹

SKN-RBT LD50 1090 mg kg⁻¹

Risk phrases

(The meaning of any risk phrases which appear in this section is given [here.](#))

R21 R22 R34 R43.

Transport information

(The meaning of any UN hazard codes which appear in this section is given [here.](#))

UN No 2079. Hazard class 8. Packing group II.

Personal protection

Safety glasses, gloves, good ventilation.

Safety phrases

(The meaning of any safety phrases which appear in this section is given [here.](#))

S26 S36 S37 S39 S45.

[Return to [Physical & Theoretical Chemistry Lab. Safety home page.](#)]

This information was last updated on April 6, 2005. We have tried to make it as accurate and useful as possible, but can take no responsibility for its use, misuse, or accuracy. We have not verified this information, and cannot guarantee that it is up-to-date.

Note also that the information on the PTCL Safety web site, where this page was hosted, has been copied onto many other sites, often without permission. If you have any doubts about the

veracity of the information that you are viewing, or have any queries, please check the URL that your web browser displays for this page. If the URL **begins** "http://msds.chem.ox.ac.uk/" the page is maintained by the Safety Officer in Physical Chemistry at Oxford University. If not, this page is a copy made by some other person and we have no responsibility for it.

Property Description Specifications UNITS

Appearance Clear and Colorless

Color 30 max PT-CO

Water Content .5 max Wt.%

Purity 98.5 min Wt.%

This information is presented for your consideration in the belief that it is accurate and reliable; however, no warranty either

expressed or implied is made and no freedom from liability from patents, trademarks or other limitations should be inferred.

For any other information, please contact your Colonial Chemical Solutions Sales Representative.S